



MODEL RANGE	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	LC [mm]	øE [mm]	øU [mm]	AGR/WEIGHT [Kg]	[kW]
500	900	1300	1362	750	525	885	400	100	150	245	0.37
800	1200	1300	1365	750	825	885	700	200	250	285	0.37
1100	1500	1300	1365	750	1125	885	1000	200	250	325	0.37
1400	1800	1300	1365	750	1425	885	1300	250	300	365	0.75
2000	2400	1300	1365	750	2025	885	1900	300	400	450	0.75
3200	3750	1550	—	1250	3100	1070	3000	350x2	400x2	1200	1.50

ACIKLIK SPACING	0.25 mm	0.50 mm	0.75 mm	1.00 mm	1.25 mm	1.50 mm	2.00 mm	2.50 mm
500 [m³/h]	36	61	84	102	116	133	143	160
800 [m³/h]	63	111	148	185	209	233	251	263
1100 [m³/h]	89	155	216	264	300	340	366	370
1400 [m³/h]	115	206	275	344	387	435	467	480
2000 [m³/h]	176	296	412	500	571	645	694	700
3200 [m³/h]	320	550	770	980	1150	1300	1570	1720

ONEMLI : DEGERLER TEMIZ SU ICINDIR

IMPORTANT:a.m.flow rates are only indicative and are referred to clean water.It changes basing suspended solids presence

	Date	Name
Cizen/Drawing by	17.12.2005	S.CETINTURK
Kontrol/Checked	17.12.2005	S.OZCAN
Onay/Approved	17.12.2005	A.ISITMAN
Standart		
Scale		
1:1		

Drawing Name:

DRUM SCREEN

ARGES

ARITMA MAKINA LTD.STI.

ARGMS T